

4. (Amended) Method according to claim 1, characterized in that one of the external devices (14) is a position-determining device for determining the position of the mobile station (10).

A2
5. (Amended) Method according to claim 1, characterized in that one of the external devices is a measurement device for measurement of at least one measurable parameter.

Concl -
6. (Amended) Method according to claim 1, characterized in that one of the external devices is a navigation device for navigation of a vehicle or person.

7. (Amended) Method according to claim 1, characterized in that one of the external devices is an alarm for generating an alarm in a situation that requires an alarm.

8. (Amended) Method according to claim 1, characterized in that one of the external devices is a monitoring device for monitoring conditions.

9. (Amended) Method according to claim 1, characterized in that the external devices (14) are specific to the customer with customized applications program modules, whereby they have been determined by a user and programmed in during ordering of the mobile station, and whereby tailoring of the mobile station (10) is achieved according to the requirements of the user.

A3
11. (Amended) Method according to claim 1, characterized in that the CPU is an IC circuit (18) that includes a fixed number of modules for external applications.

14. (Amended) Mobile station according to claim 12, characterized in that the CPU has an interface (18) to each external device (14) and its application.

15. (Amended) Mobile station according to claim 12, characterized in that one of the external devices is a position-determining device for determining the position of the mobile station.

AA 16. (Amended) Mobile station according to claim 12, characterized in that one of the external devices is a measurement device for measurement of at least one measurable parameter.

17. (Amended) Mobile station according to claim 12, characterized in that one of the external devices is a navigation device for navigation of a vehicle or person.

18. (Amended) Mobile station according to claim 12, characterized in that one of the external devices is an alarm for generating an alarm in a situation that requires an alarm.

19. (Amended) Mobile station according to claim 12, characterized in that one of the external devices is a monitoring device for monitoring conditions.

20. (Amended) Mobile station according to claim 12, characterized in that the external devices (14) are specific to the customer with customized applications program modules that are specific to the customer, whereby they have been determined by a user and programmed in during ordering of the mobile station (10), and whereby tailoring of the mobile station is achieved according to the requirements of the user.

45

22. (Amended) Mobile station according to claim 12, characterized in that the CPU is an IC circuit (18) that includes a fixed number of modules for external applications.

See the attached Appendix for the changes made to effect the above claims.

20051-283699-national stage transmittal.doc